

Mayo Clinic Medical Edge  
Ileal Pouch-Anal Anastomosis

1:00

**Log**

**Audio**

---

<b>Intro with music</b>	GIVING YOU THE EDGE ON HEALTHY LIVING, HERE'S MAYO CLINIC MEDICAL EDGE.
<b>E-lee-al pouch anal ah-nasto-mosis</b>	PAINFUL CRAMPING, FEVER AND DIARRHEA... ULCERATIVE COLITIS CAN BE A DEBILITATING CONDITION. USUALLY, MEDICATIONS CAN CONTROL THE SYMPTOMS. IF NOT, THERE'S SURGERY. THAT USED TO MEAN A PROCEDURE THAT LEFT YOU WEARING A BAG TO COLLECT YOUR STOOL. NOW, THERE'S SOMETHING CALLED AN ILEAL POUCH ANAL ANASTOMOSIS. MAYO CLINIC DR. JOHN PEMBERTON SAYS THAT'S...
<b>John Pemberton, M.D.</b> <b>Track 3</b>	"AN OPERATION WHICH REMOVES

	THE ENTIRE COLON, RECTUM, AND A PORTION OF THE ANAL CANAL.”
	REMOVING THE COLON REMOVES THE DISEASE. BUT INSTEAD OF AN OUTSIDE BAG, PART OF THE SMALL BOWEL IS FASHIONED INTO A POUCH TO REPLACE THE TISSUE THAT WAS REMOVED.
<b>Dr. Pemberton, Track 4</b>	“PATIENTS ARE RESTORED TO THEIR NORMAL ANATOMY OR AS CLOSE TO IT AS POSSIBLE, IN THAT THEY CAN HAVE BOWEL MOVEMENTS IN THE NORMAL WAY.”
	AS WITH ANY OPERATION, THERE ARE RISKS. BUT FOR THE RIGHT PATIENT, IT OFFERS A CHANCE TO REGAIN CONTROL OF THEIR LIFE.
	FOR MORE INFORMATION, TALK TO YOUR DOCTOR OR VISIT <a href="http://MAYOCLINIC.ORG">MAYOCLINIC.ORG</a> . I'M VIVIEN WILLIAMS.
